



MICROCOPY RESOLUTION TEST CHART NATIONAL BUREAU OF STANDARDS-1963-A

MEASUREMENTS OF THE LOW WAVENUMBER WALL PRESSURE SPECTRAL DENSITY DURING TRANSITION ON A FLAT PLATE

by

CHARLES J. GEDNEY

and

PATRICK LEEHEY

Report No. 93019-1 April 1984

This research was carried out for the Mechanics Division of the Office of Naval Research under Contract N00014-83-K-0227



Unclassified

SECURITY CLASSIFICATION OF THIS PAGE (When Date Entered)

REPORT DOCUMENTATION PAGE	READ INSTRUCTIONS BEFORE COMPLETING FORM				
	3. RECIPIENT'S CATALOG NUMBER				
AD-A140 753					
4. TITLE (and Subtitle)	5. TYPE OF REPORT & PERIOD COVERED				
Measurements of the Low Wavenumber Wall	Technical Report				
Pressure Spectral Density During Transition on a Fiat Plate	6. PERFORMING ORG. REPORT NUMBER				
7. AUTHOR(e)	8. CONTRACT OR GRANT NUMBER(*)				
Dr. C. Gedney and Prof. P. Leehey	ONR N00014-83-K-0227				
9. PERFORMING ORGANIZATION NAME AND ADDRESS	10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS				
Massachusetts Institute of Technology Cambridge, MA 02139					
11. CONTROLLING OFFICE NAME AND ADDRESS	12. REPORT DATE				
Office of Naval ResearchCode 432F	15 March 1984				
800 North Quincy Street Arlington, VA 22217 Attn: Dr. Reischman	13. NUMBER OF PAGES 20				
14. MONITORING AGENCY NAME & ADDRESS(II ditterent from Controlling Office)	15. SECURITY CLASS. (of this report)				
	Unclassified				
	15a. DECLASSIFICATION/DOWNGRADING SCHEDULE				
16. DISTRIBUTION STATEMENT (of this Report)					
Unlimited Discovery Conservation &					
DISTRIBUTION STATEME					
	Approved for public release; Distribution Unlimited				
17. DISTRIBUTION STATEMENT (of the ebetract entored in Block 20, if different from Report)					
18. SUPPLEMENTARY NOTES					
19. KEY WORDS (Continue on reverse side if necessary and identify by block number)					
(
20. A STRACT (Continue on reverse side if necessary and identify by block number)					
Experimental measurements of the low-Mach number wall pressure spectra density in the transition region are currently carried out in					
our laboratory. The six element (B&K Model #4144) microphone array used					
by Farabee and Geib was used as the wavenumber filtering apparatus and					
flush mounted on an open test section identical to that used by Jameson. A technique of conditional sampling on signals was used to determine					
the characteristics of the transitional flow. The frequency spectrum of					
the sharacteristics of the transferonal from the frequency spectrum of					

DD 1 JAN 73 1473

EDITION OF 1 NOV 65 IS OBSOLETE \$/N 0102-014-6601 | Unclassified

لمعي

LECURITY CLASSIFICATION OF THIS PAGE(When Date Entered)

the microphone array output was computed for uniform shading, Chebyshev shading and binomial shading. A detailed update on our progress is enclosed.

The preliminary results indicate that there is no significant measurable difference in the low wavenumber wall pressure spectrum density for a transitional boundary layer as compared to a fully turbulent boundary layer.

Accession For

HTIS GRA&I
DTIC TAB
Unannounced
Justification

By
Distribution/
A lability Codes
Avail and/or
Dist Special

Unclassified

Measurements of the Low Wavenumber Wall

Pressure Spectral Density During Transition on a Flat Plate

I. INTRODUCTION

Experimental measurements of the low wavenumber wall pressure spectral density are currently underway in the transition region of a flat plate boundary layer. A brief description of the experiments and of some preliminary results will be given here.

It is well known that the low wavenumber region of the wall pressure spectral density (hereafter referred to as just the low wavenumber region) is much more efficient at exciting marine structures than the convective region. Considerable effort has therefore been directed into the measurement of the spectrum levels in this region, while rejecting the contributions from the convective region. The transition region of a boundary layer may cover a large portion of some structures and thus it is imperative that the low wavenumber region be well understood for a boundary layer undergoing transition.

II. EXPERIMENTAL DESCRIPTION

Section Section

を 一次が大き一次が

The low-noise, low-turbulence wind tunnel facility of the MIT Acoustics and Vibration Laboratory is being used to conduct the experiments. This facility has been used in the past to study the low wavenumber region, 5,6 and the transition process. 7-8 Its characteristics are described in our previous progress report (dated 6 October 1983) as well as in Hanson. 10 The

test setup used in the experiments is shown in Figure 1. This figure shows that the measurements were made using an open test section as in Jameson. As opposed to a closed configuration, the open test section does not act as an acoustic wave guide and the resulting acoustic noise levels are lower. Figure 1 also indicates the approximate locations of the laminar, transition and turbulent regions of the boundary layer as well as the position of the microphone array.

The six element (B&K Model #4144) microphone array used by Farabee & Geib 3 was used as the wavenumber filtering apparatus. Figure 2 is a schematic of the instrumentation used in our work. The frequency response of the array was flat from 3Hz to about 8kHz. The microphones' sensing areas have 0.89cm radii (R), with a center-to-center spacing (in the streamwise direction) of 2.69cm (d). The microphones were flush mounted into the test section and their signals were high pass filtered at 100Hz. The individual microphone gains were adjusted with a Precision Filters Model 32C02B Preamp/Filter set so that various shadings could be used. The microphone outputs were then summed together with alternating phases. That is, the phase of every other microphone signal was inverted prior to the summation. The frequency spectrum of this summed signal (the array output) was then computed with a Hewlett-Packard Model 5324A Structural Dynamics Analyzer. The signal from the third microphone (counting from the upstream microphone) was also analyzed with the 5324A. The wavenumber response

of the array (with alternating phases and uniform shading) is shown in Figure 3.

III. RESULTS

されていて、これはい、一つところ

一つのないではない

The preliminary experimental results will be presented in two parts. First, the boundary layer parameters will be presented followed by results of the wall pressure measurements.

In the transition region, the bulk of the wall pressure fluctuations at a given point are due to the passage of turbulent spots. Therefore, the boundary layer parameters of interest are those characteristic of the spots themselves and are not merely the time averaged properties.

Boundary Layer Characteristics

The intermittency factor (γ) at a point in a boundary layer is defined as the fraction of time that the boundary layer exhibits a turbulent nature at that point. It has been shown that the mean boundary layer properties in the intermittent region are weighted averages of the corresponding mean laminar and mean turbulent properties, where γ is the weighting factor. Therefore, the velocity profiles of the turbulent part of the boundary layer were computed from the measured mean intermittent profiles, the intermittency factors and the known laminar profiles. The intermittency factors for several flow conditions were computed for the third microphone signal using the numerical techniques described by Gedney. These values for γ were considered to be representative of the intermittency factors

for the entire array. The mean boundary layer profiles at these conditions were measured with a small total head tube which was traversed across the boundary layer. Figures 4 and 5 show the measured velocity profiles for two flow conditions compared to laminar and turbulent profiles. These figures show that the measured velocity is indeed a weighted average of the velocities for the laminar and turbulent parts. Figures 6 and 7 show the velocity profiles for the turbulent part of the flow, computed from the measurements of Figures 4 and 5 along with the law of the wake model proposed by Coles. 12 The agreement between the measured profiles and the law of the wake is very good, indicating that the boundary layer in the open test section was not adversely affected by the open jet. Table 1 lists the boundary layer parameters (for the turbulent portion of the flow) at the eight flow conditions. These parameters were used in the nondimensionalization of the wall pressure measurements. Flow speeds of 11, 14, 19 and 24m/s were selected at two roughness conditions. The roughness conditions were 1) a smooth wall and 2) a 0.02" diameter trip wire was stretched spanwise across the plate at the open jet exit plane (see Figure 1). In Table 1 Um is the freestream velocity, δ^* is the displacement thickness and V_{*} is the friction velocity.

Wall Pressure Measurements

The frequency spectrum of the microphone array output was computed for each of three shadings at all eight of the flow conditions of Table 1. This gave a total of 24 frequency spectra.

TABLE 1

Run #	U _∞ (m/s)	Roughness Condition	Υ	δ* (mm)	V*(m/s)
1	11	smooth	0.38	2.03	
2	14	Ħ	0.66	1.24	0.68
3	19	n	0.86	1.40	0.91
4	24	n ·	1.0	1.45	1.1
5	11	trip wire	0.63	1.52	
6	14		1.0	1.35	0.68
7	19	•	1.0	1.42	0.88
8	24	n	1.0	1.73	1.0

NOTE: V_{\pm} was not computed for Run #1 and #5 due to experimental errors.

The three shadings were: 1) uniform shading; 2) Chebyshev shading [with lower side lobes and a wider main lobe than the uniform shading, see Figure 3]; and 3) binomial shading [with even lower side lobes and a wider main lobe than the Chebyshev shading]. A typical frequency spectrum of the array output is shown in Figure 8. The frequency spectrum of microphone #3 at the same conditions is also shown in the figure. The single microphone results of Figure 8 show a low frequency peak near 200Hz due to the convective ridge. The decay of this convective response with increasing frequency is due to spatial averaging on the diaphram of the microphone. The relatively flat portion of the single microphone results above 3kHz is due to acoustic noise in the flow. The frequency spectrum of the array output in Figure 8 shows reductions in the magnitude of the measured pressure at various frequencies due to the wavenumber filtering characteristics of the microphone array. The first three peaks in this spectrum (at about 200, 600 and 1400Hz) are due to the array responding to the convective ridge in the main, first aliasing and second aliasing lobes. The broad peak at 5.6kHz is the response of the array in its main lobe to the acoustic noise. Likewise, the peak at 3.2kHz is due to the array's first lower side lobe responding to the acoustic noise (this spectrum was measured with uniform shading). The measurements of the low wavenumber region were taken from this curve at the frequency points above the peak at 1400Hz, where the response of the array to the acoustic noise was a minimum. In this way the

low wavenumber results have the least amount of contamination from either the convective ridge or the acoustic noise for each test condition. The array's acoustic response minima were determined from plots of the coherence between the single microphone signal and the array output.

The coherence is defined by

$$C(\omega) = \frac{|S_{MA}(\omega)|^2}{S_{MM}(\omega)S_{AA}(\omega)}$$

where $C(\omega)$ is the coherence, $S_{MA}(\omega)$ is the complex cross spectral density between the single microphone and the array, and $S_{MM}(\omega)$ and $S_{AA}(\omega)$ are the power spectral densities of these two signals. Figure 9 is a plot of the coherence function for the conditions of Figure 8. The minima at 2.4 and 4.2kHz in Figure 9 indicate the frequency points at which the array had the smallest response to the acoustic noise and these frequencies are where the low wavenumber results were taken. The fact that the minima in Figure 9 nearly go to zero indicates that the bulk of the acoustic noise is propagating in the stream direction

The main lobe of the microphone array was centered on wavenumbers of 1.17cm^{-1} in the streamwise direction and 0 in the spanwise direction. The array's wavenumber response $(|W(\underline{k})|^2)$ and effective wavenumber bandwidths $(\Delta k_1$, streamwise and Δk_3 , spanwise) were computed for uniform shading from the following relation given by Farabee and Geib:

$$|W(\underline{k})|^2 \Delta k_1 \Delta k_3 = 5.7(4/N) \text{ cm}^{-2}$$

= 3.82cm⁻², with N=6.

The increases in the streamwise bandwidths due to the Chebyshev and binomial shadings were 53% and 100% respectively. It was assumed that the magnitude of the wall pressure spectral density was constant with wavenumber over the array's main lobe and a single value for the spectral density was computed.

Figure 10 is a plot of the wall pressure spectral density in the low wavenumber region plotted in a nondimensional form versus a nondimensional frequency. In this plot, q is the dynamic head, γ is the intermittency, δ^* is the displacement thickness and U_{∞} is the free stream velocity. The data in Figure 10 were measured at various intermittencies ranging from 0.38 to 1.0 and are compared to results measured in fully turbulent boundary layers by Martin⁵ and Jameson. Both Martin and Jameson used the spatial filtering characteristics of vibrating plates to make their measurements in the low wavenumber region.


The preliminary results of Figure 10 indicate that there is no significant measurable difference in the low wavenumber wall pressure spectral density for a transitional boundary layer as compared to a fully turbulent boundary layer (at least when compared to the levels reported by Martin).

REFERENCES

- 1. Maidanik, G. and Jorgensen, D.W., "Boundary Wave-Vector Filters for the Study of the Pressure Field in a Turbulent Boundary Layer," JASA, vol. 42, p. 494, 1967.
- 2. Blake, W.K. and Chase, D.M., "Wavenumber Frequency Spectra of Turbulent-Boundary-Layer Pressure Measured by Microphone Arrays," JASA, vol. 49, p. 862, 1971.
- 3. Farabee, T.M. and Geib, F.E., Jr., "Measurement of Boundary Layer Pressure Fields with an Array of Pressure Transducers in a Subsonic Flow," NSRDC Rept. #76-0031, March 1976.
- 4. Jameson, P.W., "Measurement of the Low Wavenumber Component of Turbulent Boundary Layer Pressure Spectral Density," 4th Symposium on Turbulence in Liquids, University of Missouri-Rolla, Sept. 1975.
- 5. Martin, N.C., "Wavenumber Filtering by Mechanical Structures," MIT Ph.D. Thesis, Dept. of Mechanical Engineering, January 1976.
- 6. Moeller, M., P. Leehey and N.C. Martin, "Low Wave Number Levels of Turbulent Boundary Layer Wall Pressure Fluctuations in Zero and Adverse Gradients," MIT Acoustics and Vibration Lab. Rept. #82464-2, Sept. 1978.
- 7. Shapiro, P.J., "The Influence of Sound Upon Boundary Layer Instability," MIT Acoustics and Vibration Lab. Rept. #83458-83560-1, 1977.
- Gedney, C.J., "Wall Pressure Fluctuations During Transition on a Flat Plate," MIT Acoustics and Vibration Lab. Rept. #84618-1, 1979.
- 9. Gedney, C.J., "The Response of a Laminar Boundary Layer to Sound and Wall Vibration," MIT Acoustics and Vibration Lab. Rept. #83560-3, May 1983.
- 10. Hanson, C.E., "The Design and Construction of a Low-Noise, Low-Turbulence Wind Tunnel," MIT Acoustics and Vibration Lab. Rept. #79611-1, 1969.

REFERENCES (cont'd)

- 11. Dhawan, S. and R. Narasimha, "Some Properties of Boundary Layer Flow During the Transition from Laminar to Turbulent Motion," J. Fluid Mech., vol. 3, p. 418, 1958.
- 12. Coles, D.E., "The Law of the Wake in the Turbulent Boundary Layer," J. Fluid Mech., vol. 1, p. 191, 1956.



Mr. Walle

LOCAL DESCRIPTION COCCOST MANAGER IN COSTS. MANAGER MANAGER

Side View of Wind Tunnel in Cross Section. Figure 1.





Figure 2. Instrumentation.



Calculated Wavenumber Response, Alternating Phased Array. Figure 3.




Figure 4. Typical Mean Boundary Layer Profile.




Figure 5. Typical Mean Boundary Layer Profile.





Figure 6. Turbulent Boundary Layer Profile.



AND THE PROPERTY OF

THE REPORT OF THE PARTY AND TH

\$1.50 P

Figure 7. Turbulent Boundary Layer Profile.






Figure 8. Typical Wall Pressure Frequency Spectra.



Typical Coherence Function for 3rd Microphone vs. Microphone Array. Figure 9.



SACE DESCRIPTION OF THE PROPERTY OF THE PROPER

Low Wavenumber Wall Pressure Spectral Density in the Transition Region. Figure 10.

93019 Distribution List

Defense Technical Information Center Cameron Station Alexandria, VA 22314

Office of Naval Research Code 432 Fluid Mechanics Division 800 N. Quincy Street Arlington, VA 22217

Professor Bruce Johnson U.S. Naval Academy Engineering Department Annapolis, MD 21402

NASA Scientific and Technical Information Facility P.O. Box 8757 Baltimore/Washington International Airport Maryland 21240

Technical Library
David W. Taylor Naval Ship Research
& Development Center
Annapolis Laboratory
Annapolis, MD 21402

Prof. Paul M. Naghdi Department of Mechanical Engineering The University of California Berkeley, CA 94720

Prof. C.-S. Yih
Department of Engineering Mechanics
The University of Michigan
Ann Arbor, MI 48109

Librarian Department of Naval Architecture The University of California Berkeley, CA 94720

Office of Naval Research Code 200B Technology Program 800 N. Quincy Street Arlington, VA 22217

Prof. John V. Wehausen Department of Naval Architecture The University of California Berkeley, CA 94720 Library
David W. Taylor Naval Ship Research
& Development Center
Code 522.1
Bethesda, MD 20084

Technical Library Naval Surface Weapons Center Dahlgren Laboratory Dahlgren, VA 22418

Mr. Justin H. McCarthy, Jr.
David W. Taylor Naval Ship Research
& Development Center
Code 1540
Bethesda, MD 20084

Technical Documents Center Army Mobility Equipment Research Ctr. Building 315 Fort Belvoir, VA 22060

Dr. William B. Morgan
David W. Taylor Naval Ship Research
& Development Center
Code 1500
Bethesda, MD 20084

Technical Library Webb Institute of Naval Architecture Clen Cove, NY 11542

Director
Office of Naval Research
Eastern/Central Regional Office
Building 114, Section D
666 Summer Street
Boston, MA 02210

Dr. J. P. Breslin Stevens Institute of Technology Davidson Laboratory Castle Point Station Hoboken, NJ 07030

Library Naval Weapons Center China Lake. CA 93555

Prof. Louis Landweber The Institute of Hydraulic Research Iowa City, IA 52242 R.E. Gibson Library The Johns Hopkins University Applied Physics Laboratory Johns Hopkins Road Laurel, MD 20810

The Society of Naval Architects & Marine Engineers
One World Trade Center, Suite 1369
New York, NY 10048

Lorenz G. Straub Library St. Anthony Falls Hydraulic Lab. The University of Minnesota Minneapolis, MN 55414

Technical Library Naval Coastal System Laboratory Panama City, FL 32401

Library Naval Postgraduate School Monterey, CA 93940

Prof. Theodore Y. Wu Engineering Sciences Department California Institute of Technology Pasadena, CA 91125

Technical Library Naval Underwater Systems Center Newport, RI 02840

Director Office of Naval Research Western Regional Office 1030 E. Green Street Pasadena, CA 91101

Engineering Societies Library 345 East 47th Street New York, NY 10017

Technical Library Naval Ship Engineering Center Philadelphia Division Philadelphia, PA 19112 Army Research Office P.O. Box 12211 Research Triangle Park, NC 27709

Librarian Station 5-2 Coast Guard Headquarters NASSIF Building 400 Seventh Street, SW Washington, DC 20591

Editor Applied Mechanics Review Southwest Research Institute 8500 Culebra Road San Antonio, TX 78206

Defense Research & Development Attache Australian Embassy 1601 Massachusetts Avenue, NW Washington, DC 20036

Technical Library Naval Ocean Systems Center San Diego, CA 92152

end voncest location hatered manage manages appropriately because sometimes and support

Library of Congress Science and Technology Division Washington, DC 20540

ONR Scientific Liaison Group American Embassy - Room A-407 APO San Francisco 96503 Dr. A.L. Slafkosky Scientific Advisor Commandant of the Marine Corps Code 2042 AA Washington, DC 20380

Librarian Naval Surface Weapons Center White Oak Laboratory Silver Spring, MD 20910 Maritime Administration Office of Maritime Technology 14th & E Streets, NW Washington, DC 20230 Maritime Administration Division of Naval Architecture 14th & E Streets, NW Washington, D.C. 20230 Mr. Stanley W. Doroff Mechanical Technology, Inc. 2731 Prosperity Avenue Fairfax, VA 22031

Dr. G. Kulin National Bureau of Standards Mechanics Section Washington, DC 20234

Dr. Charles Watkins Head, Mechanical Engineering Dept. Howard University Washington, DC 20059

Naval Research Laboratory Code 2627 Washington, D.C. 20375

Library Naval Sea Systems Command Code 09GS Washington, DC 20362

RECEIVED REPORTE TRANSPORT CHARGEST MANDEN | WILLIAM | WILLIAM | WILLIAM |

Mr. Thomas E. Peirce Naval Sea Systems Command Code 03512 Washington, DC 20362

Prof. A.J. Acosta
Div. of Engineering & Applied Science
Mail Code 104-44
California Institute of Technology
Pasadena, CA 91125

Mr. Ralph D. Cooper
Flow Research
Washington, D.C. Office, Suite 401
1320 Fenwick Lane
Silver Spring, MD 20910

Dennis Bushnell Mail Stop 163 NASA Langley Hampton, VA 23665 Dr. Mohamed Gad-el-Hak Senior Research Scientist & Proj. Mgr. Flow Research Company 21414 68th Avenue South Kent, WA 98031

James W. Slack Chase, Inc. 238 Main Street, Suite 507 Cambridge, MA 02142

Dr. Marvin E. Goldstein NASA Lewis Research Center Mail Stop 5-9 21000 Brookpark Road Cleveland, OH 44135

Dr. Mario J. Casarella Dept. of Mechanical Engineering The Catholic University of America Washington, D.C. 20064

Eugene C. Gritton
Engineering & Applied Sciences Dept.
The Rand Corporation
1700 Main Street
Santa Monica, CA 90406

Prof. Stanley Corrsin
Dept. of Mechanics & Materials Science
The Johns Hopkins University
Baltimore, MD 21218

Prof. Chester E. Grosch 1-14050 Old Dominion University Norfolk. VA 23508 Mr. Robert J. Hansen Fluid Dynamics Branch Naval Research Laboratory Code 387 - Bldg. 34 Washington, D.C. 20375 Prof. Richard E. Kronauer Division of Engineering & Applied Phys. 324 Pierce Hall Harvard University Cambridge, MA 02138

Dr. Richard E. Hayden Bolt, Beranek & Newman, Inc. 50 Moulton Street Cambridge, MA 02138

Dr. George Lea Fluid Mechanics-Engineering Division National Science Foundation Washington, D.C. 20550

Jerry Hefner Mail Stop 163 NASA Langley Hampton, VA 23665

Mr. Lucio Maestrello Mail Stop 163 NASA Langley Hampton, VA 23665

Dr. Gary R. Hough Vought Corporation Advanced Technology Center P.O. Box 226144 Dallas, TX 75266

Dr. Leslie M. Mack Jet Propulsion Laboratory California Institute of Technology 4800 Oak Grove Drive Pasadena, CA 91103

Dr. T.T. Huang Code 1552 David W. Taylor Naval Ship Research & Development Ctr. Bethesda, MD 20084 J.W. Murdock The Aerospace Corporation P.O. Box 92957 Los Angeles, CA 90009 Prof. Mark V. Morkovin
Dept. of Mechanics & Mechanical
& Aerospace Engineering
Illinois Institute of Technology
Chicago, ILLINOIS 60616

Prof. Donald Rockwell
Dept. of Mechanical Engineering
& Mechanics
Building 19
Lehigh University
Bethlehem, PA 18015

Prof. Gabriel Miller
Faculty of Arts & Science
Department of Applied Science
New York University
26-36 Stuyvesant Street
New York, NY 10003

Prof. Eli Reshotko Glennan Building Case Western Reserve University University Circle Cleveland, OHIO 44106

Prof. Thomas J. Mueller Aerospace & Mechanical Engineering University of Notre Dame Notre Dame, INDIANA 46556

Dr. Michael M. Reischman Mechanics Division Code 432 Office of Naval Research 800 North Quincy Street Arlington, VA 22217

Dr. R.W. Paterson Aeroacoustics Group United Aircraft Research Laboratories East Hartford, CT 06108

Dr. William C. Reynolds Department of Mechanical Engineering Stanford University Stanford, CA 94305

Prof. Allan D. Pierce School of Mechanical Engineering Georgia Institute of Technology Atlanta, GA 30332 Prof. William Saric
Dept. of Engineering Science & Mechanics
Virginia Polytechnic Institute &
State University
Norris Hall
Blacksburg, VA 24061

Dr. Paul Shapiro Phillips Laboratories 345 Scarborough Road Briar Cliff Manor NEW YORK 10510 Prof. Frank M. White
Dept. of Mechanical and Ocean
Engineering
University of Rhode Island
Kingston, R.I.

Dr. Robert L. Sternberg Office of Naval Research 495 Summer Street Boston, MA 02210

Prof. James Wallace Dept. of Mechanical Engineering Surge Facility--Room 2109 University of Maryland College Park, MD 20742

Dr. Charles Thompson
Dept. of Engineering Science & Mechanics
Virginia Polytechnic Institute &
State University
Norris Hall, Room 227
Blacksburg, VA 24061

Marshall P. Tulin Hydronautics, Inc. Laurel, MD 20810

where we will be a second to the second seco

Prof. W.W. Willmarth Aerospace Engineering Gas Dynamics Laboratories The University of Michigan North Campus Ann Arbor, MICHIGAN 48105 Office of Naval Research Code 481 800 N. Quincy Street Arlington, VA 22217 Dr. Robert H. Kraichnan Dublin NEW HAMPSHIRE 03444

Prof. Richard W. Miksad Department of Civil Engineering The University of Texas at Austin Austin, TX 78712 Prof. Robert E. Falco Department of Mechanical Engineering Michigan State University East Lansing, MI 48824

Prof. Paul Lieber
Department of Mechanical Engineering
The University of California
Berkeley, CA 94720

Prof. E. Rune Lindgren
Department of Engineering Sciences
231 Aerospace Engineering Building
University of Florida
Gainesbille, FL 32611

Prof. S.I. Pai Institute of Fluid Dynamics & Applied Mathematics The University of Maryland College Park, MD 20742

Dr. A.K.M. Fazle Hussain Department of Mechanical Engineering The University of Houston Houston, TX 77004

Computation and Analyses Laboratory Naval Surface Weapons Center Dahlgren Laboratory Dahlgren, VA 22418

Prof. John L. Lumley
Sibley School of Mechanical &
Aerospace Engineering
Cornell University
Ithaca, NY 14853

Prof. K.E. Shuler
Department of Chemistry
University of California - San Diego
La Jolla, CA 92093

Prof. R. Blackwelder
Department of Aerospace Engineering
University of Southern California
University Park
Los Angeles, CA 90007

Dr. E.W. Montroll Physical Dynamics, Inc. P.O. Box 556 La Jolla, CA 92038

Prof. T.R. Thomas
Department of Mechanical Engineering
Teesside Polytechnic
Middlesbrough TS1 3BA
ENGLAND

Prof. Tuncer Cebeci Mechanical Engineering Department California State University Long Beach, CA 90840

Dr. Arthur B. Metzner Department of Chemical Engineering University of Delaware Newark, DE 19711

Dr. C.W. Hirt Los Alamos Scientific Laboratory University of California P.O. Box 1663 Los Alamos, NM 87544 Prof. Harry E. Rauch
The Graduate School & University Center
of the City University of New York
Graduate Center
33 West 42 Street
New York, NY 10036

Prof. Frederick K. Browand
Department of Aerospace Engineering
University of Southern California
University Park
Los Angeles, CA 90007

Dr. Norman M. Nilsen Dyntech Company 5301 Laurel Canyon Boulevard, Suite 201 North Hollywood, CA 91607 Prof. L. Gary Leal
Div. of Chemistry & Chemical Engineering
California Institute of Technology
Pasadena, CA 91125

Prof. Francis R. Hama
Department of Mechanical &
Aerospace Engineering
Princeton University
Princeton. NJ 08540

Prof. H.W. Liepmann Graduate Aeronautical Laboratories California Institute of Technology Pasadena, CA 91125

Dr. Joseph H. Clarke Division of Engineering Brown University Providence, RI 02912

Prof. A. Roshko Graduate Aeronautical Laboratories California Institute of Technology Pasadena, CA 91125

THE PARTY PROPERTY OF THE PROP

Prof. J.T.C. Liu Division of Engineering Brown University Providence, RI 02912

Prof. K.M. Agrawal Department of Mathematics Virginia State College Petersburg, VA 23803

Chief, Document Section Redstone Scientific Information Center Army Missile Command Redstone Arsenal, AL 35809

Technical Library Naval Missile Center Point Mugu, CA 93041 Dr. Jack W. Hoyt Naval Ocean Systems Center Code 2501 San Diego, CA 92152 Prof. Richard L. Pfeffer Geophysical Fluid Dynamics Institute Florida State University Tallahassee, FL 32306

Dr. Phillip S. Klebanoff Mechanics Section National Bureau of Standards Washington, DC 20234

Dr. Denny R.S. Ko Dynamics Technology, Inc. 22939 Hawthorne Boulevard, Suite 200 Torrance, CA 90505 Dr. J.O. Elliot Naval Research Laboratory Code 8310 Washington, DC 20375

Prof. Thomas J. Hanratty
Department of Chemical Engineering
University of Illinois at UrbanaChampaign
205 Roger Adams Laboratory
Urbana, IL 61801

Mr. R.J. Hansen Naval Research Laboratory Code 387 - Building 34 Washington, DC 20375

Air Force Office of Scientific Research/NA Building 410 Bolling AFB Washington, DC 2033 2 Dr. Gary Chapman Mail Stop 227-4 Ames Research Center Moffett Field, CA 94035

Prof. Hsien-Ping Pao Department of Civil Engineering The Catholic University of America Washington, DC 20064

Prof. Sheila Widnall 37-475 MIT

Prof. J. Haritonides 37-461 MIT

Prof. Steven Orszag 2-347 MIT Prof. T. Francis Ogilvie 5-230 MIT

Prof. Erik Mollo-Christensen 54-1726 MIT Prof. P.S. Virk 66-558 MIT

Prof. C. Forbes Dewey 3-250 MIT

Prof. Marten Landahl 37-467 MIT